



To all of our customers and partners;

May 2, 2024

**Release Announcement: SPK1, Indoor PoE+ IP speaker
 SPK2, Outdoor PoE+ IP speaker
 IP Speaker Service v1.0.2.1**

i3 International is pleased to announce the release of **SPK1** and **SPK2** PoE+ IP speakers for indoor and outdoor installations. IP Speaker Service supporting software has also been released to manage i3 PoE speakers and to connect them to other i3 solutions.

IP speakers can be used as an important and effective part of any security solution as well as to improve customer experience. Play one or a series of *.mp3 and/or *.wav sound files in response to triggers such as Ai detection events, LPR plate detection, Curbside alert, Promotional item sale (real-time POS data required), and more. PoE power allows for easy and straightforward single-wire installation for both models.

Make the pre-recorded sound output part of your i3 solution. SPK1 and SPK2 can be used as an output option for any of the following i3 solutions:

- i3Ai or Edge Ai event (via SRX-Pro)
- i3Ai Sentry event (via SRX-Pro)
- Edge LPR camera event (via SRX-Pro)
- Velocity Timer event (via PACDM)

Examples:



- Initiate a welcome announcement as a patron approaches the donation center.
- Activate an alert tone if an individual is detected adjacent to the rear entrance door after operational hours.
- Play an alert sound when the checkout queues get busy.
- Trigger a specific message when a vehicle with an unknown license plate arrives at the main gate.
- Emit a notification chime when a car parks in the space allocated for curbside service, signaling the staff.
- Sound a celebratory note each time a promotional product is purchased, as a morale booster for the team.

Indoor Ceiling Speaker (SPK1) feature highlights:	Outdoor Speaker (SPK2) feature highlights:
<ul style="list-style-type: none"> - Recessed flush-mounting design for discreet indoor drop-ceiling installations - PoE+ or DC12V power - Powerful and clear sound (SPL 1W@1m 90-102 dB) 	<ul style="list-style-type: none"> - U-shaped bracket with two hex bolts for easy surface installation - PoE+ power - Powerful and clear sound (SPL 1W@1m 92-104 dB)
	

To start using your SPK1/SPK2, download and install IP Speaker Service software from i3's Download page:
<https://i3international.com/download>




SRX-Pro, Edge Ai – Play two sounds for 15 seconds when a person is detected in Area 2.



Sample topography

Current Network Structure for Media Servers



i3 International Technical Support and Services
 Email: support@i3international.com
 Tel.: 1.877.877.7241

CONTACT US

www.i3international.com

Toll free: 1.866.840.0004

Tel: 416.261.2266

Fax: 416.759.7776

CANADA

i3 International Inc.

780 Birchmount Rd, Unit 16

Toronto, Ontario

M1K 5H4, Canada

USA

i3 America (Nevada) Inc.

4001 Cobb International Boulevard,

Kennesaw, GA 30152