

Re: SRX-Pro Server v7.3.2.255 Release Notice

September 12, 2025


To all of our customers and partners;

This bulletin is the official notice of the SRX-Pro Server **v7.3.2.255 (Build 30-Jun-2025)** release. The new software installation package is now available for download from the i3 website:
<https://i3international.com/support/download>.

Effective **Monday, September 15, 2025** this release package will be used as the default Production software version for all standard NVRs. To continue receiving your NVRs with an earlier version of SRX-Pro/VPC v7, please speak to your RSM to arrange for a “Special Routing” to be created for your NVRs.

New Features

- Support U21 integration – Plug and play and hardware watchdog. ([#81904](#) | v7.3.2.229)
- Support U31/UR1 integration – Hardware watchdog. ([#84363](#), [#84362](#) | v7.3.2.229)
- HALO license support – HALO 3C smart sensor devices are auto-detected and added without a license, purchase Smart sensor licenses for full functionality. ([#82686](#) | v7.3.2.229)




The screenshot shows the SRX-Pro Setup interface. On the left, a sidebar menu has the 'Server' icon highlighted. The main panel is titled 'Smart sensors' and shows a table with one sensor listed. The table has columns for No., Sensor, IP address, Linked cameras, Linked controls, License (1/16), and Status. The sensor listed is HALO_Device with IP 10.14.239, 2 selected cameras, and Control 1 (UIO8: 192.168.0...). The status is Online.

No.	Sensor	IP address	Linked cameras	Linked controls	License (1/16)	Status
1	HALO_Device	10.14.239	2 selected	Control 1 (UIO8: 192.168.0...)	<input checked="" type="checkbox"/>	Online

For more information on HALO 3C integration, refer to the [HALO 3C SRX-Pro Integration Guide](#).

- SRX-Pro/i3Host communication – Connect to i3Host without company key, enabled by default. ([#82826](#) | v7.3.2.229)




The screenshot shows the SRX-Pro Setup interface with the 'i3Host settings' tab selected. The status is 'CONNECTED'. The i3Host link is 'https://i3host.i3international.com'. The i3Host full link is 'https://i3host.i3international.com/portal'. The email address is 'demo@i3international.com'. The 'Connect to i3Host server' toggle is turned on.

- Support audio for supported i3 camera models ([#79922](#) | v7.3.2.229)
- Support audio talk-down in VPC – Real-time talk, pre-recorded playback, and recorded audio logs (requires VPC 7.3.2.255 + IP Speaker 2.0). (| v7.3.2.255)
- Support i3OEM for M98 – Adds PTZ control for ePTZ channels. ([#88039](#) | v7.3.2.255)
- Support upcoming Solar camera model (pending release) – SDK over 4G/5G. ([#84587](#) | v7.3.2.255)
- Support new i3Ai functions (e.g. BoB, Q-Alert, i3Ai CSM – currently in testing). ([#90317](#) | v7.3.2.255)
- New server shutdown alert – Integrated with i3Host Health Monitoring. ([#89016](#) | v7.3.2.255)
- License file enhancements – Support for longer serial codes and new activation mechanism. ([#84774](#) | v7.3.2.229)
- Different installation packages for i3 International and i3 America. ([#85002](#) | v7.3.2.229)

Improvements

- Sound duration now loops full length if file is shorter than the set duration. ([#72912](#) | v7.3.2.229)



- Updated sailmast from “gipi_2.1_march_31_2021” to “gipi_2.21_oct_31_2024.” ([#79893](#) | v7.3.2.229)
- Optimized detection for U1, U12, U16, U21. ([#83685](#) | v7.3.2.229)
- Bypass license – SRX-Pro allows up to 1 IP camera without license, with full Pro Web and VPC access. ([#83161](#) | v7.3.2.229)

Fixed Issues

- Live video direct connection on mobile flickering. ([#85759](#) | v7.3.2.229)
- SRX-Pro sending multiple alerts to CMS after CMS API restart. ([#85466](#) | v7.3.2.229)
- Backup failure after SRX-Pro Service restart. ([#82384](#) | v7.3.2.229, v7.3.2.255)
- M98 panoramic view incorrectly returns “true” fisheye option. ([#83782](#) | v7.3.2.229)
- Camera name missing in user permissions on i3Host page for some NVRs. ([#88133](#) | v7.3.2.255)
- i3AiCloud config corruption after unexpected power loss. ([#87001](#) | v7.3.2.255)

SRX-Pro v7.3 Compatibility Table.

Note: For i3 application compatibility, refer to i3's [Software Compatibility Chart](#)

i3 Application / Device	Compatibility
i3Host	i3Host v.5.2.2.0 and higher
VPC	VPC v7.3.2.255 and higher
PACDM	PACDM v7.27.2.54 or higher PAC Converter v3.7.2.181 or higher
i3Ai	i3Ai v7.3.2.255 or higher
CMS	CMS v6.8.2.0 and higher
ACT	ACT v2.2.2.29 and higher
FRDB	FRDB v1.3 build 13055 and higher

About Version:

Version 7.3.2.255

Build Date: June 30, 2025

Release History

Version	Release Type	Build date
7.3.2.255 (this version)	Production	June 30, 2025
7.3.2.229	Interim	April 9, 2025
7.3.2.189	Production	January 22, 2025
7.3.2.188	Interim	November 29, 2024
7.3.2.185	Interim	November 15, 2024
7.3.2.165	Interim	September 30, 2024
7.3.2.120	Production	July 8, 2024
7.3.2.88	Production	January 19, 2024
7.3.2.85	Interim	December 29, 2023
7.3.2.60	Interim	September 29, 2023
7.3.2.47	Production	July 19, 2023
7.3.2.45	Interim	July 14, 2023
7.3.2.16	Production	March 16, 2023
7.3.2.12	Interim	February 28, 2023
7.3.2.0	Production	January 16, 2023

Please contact technical support if you have any questions or issues.

Email: support@i3international.com

Tel.: 1.877.877.7241