



January 1, 2012

## Re: PACDM Integrations List

To all of our customers and partners;

Below is the list of approved PACDM integrations as of January 1<sup>st</sup>, 2012. Please note that integrations are very version-specific. i3 International cannot guarantee that your specific POS will integrate with PACDM even if the name of your POS system appears in the list.

	POS System	Software	Cable	Template	Communication type	Comments
1	NCR/ACS	ACS V 4.0	NA	V1.00_ACS(NCR).tpl	UDP Protocol	
2	Radiant/Aloha	Aloha version 5.3.16	BP0426	V1.00_Aloha_Serial.tpl	Serial Port	multi channel, Radiant 1510
3	Bulloch	version 11.2	BP0211	V1.00_Bulloch.tpl	Serial Port	
4	ClearViewPOS	ClearView 4.02	NA	V1.00_ClerViewPOS_V4.02.tpl	TCPIP	Back Office Server SW for Panasonic series 9300, 790
5	CLR	ClearPOS Ver. 1.36	NA	V1.00_CLR.tpl	TCP/IP	
6	CNC POS	version 1.9.111	BP0414	V1.00_CNC.tpl	Serial Port	7 data bit port settings
7	DataSym 6000RT, 6000 GR	Datasym Ver. 5.5, Ver 3.0	BP0171	V1.00_Datasym.tpl	Serial Port	
8	Epicor	NA	NA	V1.03_Epicor.tpl	TCP-IP	Uses SQL data base from POS
9	PACDM Demo	i3DVR	BP0130	V1.00_Demo.tpl	Serial Port	used for PACDM Demo
10	Gilbarco G-Site	version 42.0.64 console 40.0.19	BP0021, BP0022, BP0023	V1.00_G-Site(Gilbarco).tpl	Serial Port	BP0021(G4 wires), BP0022(25 pin cable), BP0023(RJ45). Do not upgrade to Advanced console 40.3.12-B KS000-013PC
11	Gilbarco Passport	NA	NA	V1.00_G-Passport(PrinterPort).tpl	Serial Port	<b>Contact i3 International for details,</b> Printer port connection.
12	Gilbarco Passport	Version Bi-pass 306.28	BP0418	V1.00_G-Passport(PoleDisplay).tpl	Serial Port	Pole display connection
13	GasBoy	NA	BP0118	V1.00_GasBoy(NBS).tpl	Serial Port	<b>Contact i3 International for details,</b> Multi channel
14	Casio/ Logivision TCP/IP	LPOS 2.2.3.18	NA	V1.00_Logivision(TCP).tpl	TCP/IP	Text format
15	Casio/ Logivision French	LBoss 1.6.9.0	BP0040	V1.00_Logivision(French).tpl	Serial Port	French Version
16	Casio/ Logivision	Logivision	BP0040	V1.00_Logivision.tpl	Serial Port	
17	IBM ACE V6	IBM ACE V6	NA	V1.02_IBM_ACE.tpl	TCPIP	Binary format data with POS FTP settings



18	Micros 9700	Micros Server v3.0	NA	V1.00_Micros9700(TCP)_V3.0.tpl	TCPIP	Multi channel
19	Micros 9700	Micros Server v2.80.55	NA	V1.00_Micros9700(TCP)_V2.8.tpl	TCPIP	Multi channel
20	Micros 3700	Res 3.2 SP7 or above	NA	V1.00_Micros3700(i3dvr).tpl	TCPIP	POS needs special TCPIP module
21	Micros E7	NA	BP0162	V1.01_MicrosE7.tpl	Serial	Journal printer port interface
22	Micros Work Station 4	Micros 3700	BP0161	V1.00_Micros3700.tpl	Serial Port	Shared printer port with Epson TM88
23	Maitre'D	Version service SP6, SP7	NA	V1.00_MaitreD.tpl	TCP/IP	Text format
24	MSI	Software Dos Lantastic Ver 78.NN.01	BP0181	V1.00_MSI(No_Start).tpl	Serial Port	No_Start data format
25	MSI	Software Dos Lantastic	BP0181	V1.00_MSI(C_Start).tpl	Serial Port	C_Start data format
26	NCR7402	NA	BP0154	V1.00_NCR7402.tpl	Serial Port	<b>Contact i3 International for details</b>
27	NCR7448	NA	BP0154	V1.00_NCR7448.tpl	Serial Port	<b>Contact i3 International for details</b>
28	NCR7453	NA	BP0152	V1.00_NCR7453.tpl	Serial Port	multi channel. Store application is set by 7-eleven Help Desk.
29	NCR7456	NA	BP0152	V1.00_NCR7456.tpl	Serial Port	multi channel. Store application is set by 7-eleven Help Desk
30	NCR7458	NA	BP0152	V1.00_NCR7458.tpl	Serial Port	multi channel. Store application is set by 7-eleven Help Desk
31	NCR	Documentor	NA	V1.00_NCRDocumentor(TCP).tpl	TCPIP	<b>Contact i3 International for details</b> , multi channel.
32	NCR	ScanMaster DOS	BP0151	V1.00_NCRScanMaster(DOS).tpl	Serial Port	<b>Contact i3 International for details</b> , DOS format
33	NCR	ScanMaster	BP0151	V1.00_NCRScanMaster.tpl	Serial Port	<b>Contact i3 International for details</b>
34	Panasonic 5000	Ver. 2.1 or 2.5	BP0064	V1.00_Panasonic5000.tpl	Serial Port	
35	Panasonic 5500	Q 2.5	BP0061, BP0061B	V1.00_Panasonic5500_7500.tpl	Serial Port	"B" cable for Printer option connection
36	Panasonic 7500	QS4	BP0062, BP0062B, BP7500S	V1.00_Panasonic5500_7500.tpl	Serial Port	"B" cable for Printer option connection. BP7500S for Emulator option.
37	Panasonic 7750	QS1.5	BP0063, BP0063E, BP7750S	V1.00_Panasonic7750.tpl	Serial Port	E cable for Straight connection. BP7750S for Emulator option.
38	PennyLane	PennyLane Ver 4.4	BP0114	V1.00_PennyLane.tpl	Serial Port	
39	PennyLane TCP/IP	PennyLane	NA	V1.01_PennyLaneTCP.tpl	TCPIP	<b>Contact i3 International for details</b>
40	Pinnacle	NA	BP0110	V1.00_Pinnacle.tpl	Serial Port	<b>Contact i3 International for details</b>
41	NCR/Pinnacle	Pinnacle Palm POS V8.3 SP6 Build 75	BP0110	V1.00_PinnacleV8.3.tpl	Serial Port	
42	Radiant	Radiant M100 version 3.50.3007P05, version 3.50.3007P06	BP0012	V1.00_Radiant_M100.tpl	Serial Port	Multi channel



43	Radiant	Radiant R-POS Software version 70.001.0109	BP0424	V1.00_Radiant(Printer).tpl	Serial Port	Multi channel.
44	Radiant	Radiant Citgo3441100	BP0012	V1.00_Radiant_Citgo3441100.tpl	Serial Port	
45	Radiant P-1550	HESS New	BPBDB9-RJ12-2	V1.00_Radiant(HESS).tpl	Serial Port	for HESS, baud rate 115200
46	Radiant	HESS	BPBDB9-RJ12-2	V1.00_RadiantT160(Poledisplay).tpl	Serial Port	for HESS
47	RubiVerifone/ Rubi Sapphire	NA	BP0120, BP0122, BP0123, BP0124, BP0125	V1.01_RubyVerifone.tpl	Serial Port	<b>Contact i3 International for details</b> , cable BP0124 is used for Thermo Printer option, BP0125 is for virtual printer port
48	SamSung	ER650/SPS-1000	BP0410	V1.00_SamSungER650.tpl	Serial Port	<b>Contact i3 International for details</b>
49	Sharp 3000	NA	BP0083	V1.00_Sharp3000.tpl	Serial Port	multi channel
50	Sharp 600	NA	BP0082	V1.00_Sharp600.tpl	Serial Port,	multi channel
51	Sharp 700	NA	BP008	V1.03_Sharp700.tpl	Serial Port,	multi channel
52	Sharp 770	NA	BP0082	V1.00_Sharp770.tpl	Serial Port	
53	Sharp 800 series	NA	NA	V1.03_Sharp700.tpl	Serial Port	multi channel
54	Sharp 3500 series	NA	NA	V1.03_Sharp700.tpl	Serial Port	multi channel
55	StoreNext	Retalix	BP0428, BP0115	V1.00_StoreNext.tpl	Serial Port	<b>Contact i3 International for details</b> , BP0428 Printer port connection,
56	Synercom	NA	BP0221	V1.00_Synercom.tpl	Serial Port	
57	TVS 1066	NA	BP0101	V1.00_TV1066.tpl	Serial Port	
58	TVS 2110	NA	BP0105	V1.00_TV2110.tpl	Serial Port	Multi channel
59	Uniwel 870-890		BP0420	V1.00_Uniwel1870.tpl	Serial Port	<b>Contact i3 International for details</b>
60	Topaz/ Sapphire	Verifone	Null Modem	V1.00_VerifoneTopaz.tpl	Serial Port	Multi channel. RJ45 to Null Modem DB9 converter
61	Uniwel SX 7505/8505 06	Eprom Version 1.10b	BP0421	V1.00_Uniwel7505.tpl	Serial Port	Multi channel, Integration for UK customer. <b>Contact i3 International for details</b>
62	WayneNucleus	Chevron Ver.1.26	BP0312	V1.01_WayneNucleus.tpl	Serial Port	Multi channel. Port can be programmed from Nucleus to Edgeport
63	WayneNucleus OS/2	NA	BP0311A	V1.00_WayneNucleusOS2.tpl	Serial Port	<b>Contact i3 International for details</b> , multi channel, uses printer port,
64	Zonal	Aztec V.2.8.2.4	B-LDAD06	V1.00_Zonal-Aztec2.8.2.4.tpl	Serial Port	<b>Contact POS provider for details</b> , Please check original cable from Zonal
65	Gilbarco G-Site		BP0021, BP0022, BP0023	V1.00_G-Site(GilbarcoFrench).tpl	Serial Port	French version, <b>Contact i3 International for details</b>



66	ScanMaster/ Retailix	ScanMasterV2.5.2	NA	V1.00_ScanMasterV2.5.2(TCPIP).tpl	TCPIP	Contact i3 International for details, POS Server shared folder.
67	Toshiba TEC	Toshiba TEC MA-1595-1	BP8500S	V1.00_TEC_MA-1595-1.tpl	Serial	Cable kit includes hand shake device
68	Infonet	C_StoreCommander V7	na	V1.00_C-StoreCommander.tpl	Serial	new, Pole display port, standard serial cable
<b>XML Integrations</b>						
1	Volante	Volante	NA	V1.02_Volante(XML).xsl	TCPIP	Contact POS provider for details
2	PosiTouch	PosiTouch	NA	V1.00_POSITouch(XML).xsl	TCPIP	Contact i3 International for details
3	IBMSurePOS 500	Retailix BP	NA	V1.00_IBMSurePOS500(XML).xsl	UDP	Contact i3 International for details
4	HDS	NA	NA	V1.00_HDS(XML).xsl	TCPIP	Contact i3 International for details
5	ISS45	Retailix ISS45 V.7	NA	V1.00_ISS45(XML).xsl	TCPIP	Contact POS provider for details
6	ISS45	Retailix ISS45 V.8	NA	V1.00_ISS45(XML).xsl	TCPIP	Contact POS provider for details
7	G-Passport	Mobil 5.00.28.02G or higher	NA	V1.04_G-Passport(XML).xsl	TCPIP	Contact POS provider for details
8	G-Passport	Mobil 5.00.28.02G or higher	NA	V1.04_G-Passport(XML).xsl	Serial	Null Modem cable to Edgeport
9	RetailProDimentions	SW version 8 series plug-in	NA	V1.00_RetaolPro(XML).xsl	TCP-IP	Contact POS provider for details
10	Xpient	Xpient Event Adapter V 1.2, V3.031	NA	V3.03_Xpient(XML).xsl	TCP-IP	Contact POS provider for details
<b>Command Set Integrations</b>						
1.	SMS/Lac POS	SMS	NA	NA	TCPIP	Contact POS provider for details
2.	XBR POS	DataVantage	NA	NA	TCPIP	Contact POS provider for details
3.	Retail Expect	NA	NA	NA	TCPIP	Contact POS provider for details

Please contact technical support at [support@i3international.com](mailto:support@i3international.com) or by phone: 1.877.877.7241 if you have any questions or issues.

i<sup>3</sup> International Inc.  
 Technical Support and Services  
 1.877.877.7241  
[support@i3international.com](mailto:support@i3international.com)